

Supplementary Information for

Surface Plasmon Enhanced Photocatalysis of Au/Pt-decorated TiO₂ Nanopillar Arrays

Shuang Shuang,^a Ruitao Lv,^b Zheng Xie,^{a, c} and Zhengjun Zhang^{b*}

*a. State Key Laboratory of New Ceramics and Fine Processing, School of Materials
Science and Engineering, Tsinghua University, Beijing 100084, China*

*b. Key Laboratory of Advanced Materials (MOE), School of Materials Science and
Engineering, Tsinghua University, Beijing 100084, China*

c. High-Tech Institute of Xi'an, Xi'an 710025, China

**Corresponding author at: School of Materials Science and Engineering, Tsinghua
University, Beijing 100084, China.*

E-mail: zjzhang@tsinghua.edu.cn

Supporting figure captions:




Figure S1. SEM images of Pt/TiO₂ NPAs coated with different cycles.




Figure S2. SEM images of the samples: (a) top view of TiO₂ NPs; (b) sectional view of TiO₂ NPs; Pt/TiO₂ NPs coated with different cycles: (c) 5 cycles; (d) 10 cycles; (e) 15 cycles; (f) 20 cycles.




Figure S3. Absorption spectra of Au/TiO₂ NPs coated with 10 cycles, Pt/TiO₂ NPs coated with 10 cycles and Au/Pt-TiO₂ NPs.




Figure S4. UV-vis light discoloration of MO (a) and current versus time measurements (b) of Pt/TiO₂ NPAs coated with different cycles.




Figure S5. Cycle usage of Au/Pt-TiO₂ NPAs under both UV-vis and visible lights.




Figure S6. PL spectrum of single TiO_2 NPs, Pt-TiO_2 , Au-TiO_2 and Au/Pt-TiO_2 NPs.